

RESENZO

Sensoren und industrielle Regelungstechnik

Features


- high impulse load
- high stability
- low inductive

Applications

- voltage divider
- measuring resistor
- electrostatic
- protection resistor

High Voltage Resistor „Precision“

HVR 968



Characteristics

Operating temperature	- 55°C ... + 225°C
Temperature coefficient	10 ... 200 ppm/°C
Tolerance	10 ... 0,1 %
Insulation resistance	> 10.000 MΩ 500 V 25°C 75 % relative humidity
Dielectric strength	> 1.000 V 25°C 75 % relative humidity
Thermal shock	Δ R/R 0,25% max..MIL Std. 202, meth. 107 Cond. C. IEC 68-2-14
Overload	Δ R/R 0,25% max.1,5xP _{Nom} , 5sec (do not exceed 1,5xV max)
Moisture resistance	Δ R/R 0,25% max ... MIL Std. 202, method 106...IEC 68-2-3
Load life	Δ R/R 0,25% see diagram 1000 h. at rated power IEC 115-1
Encapsulation	conformal coating
Terminals	Cu fin-plated

Designs

Type	P40°C		Tolerance	Tolerance	Tolerance	Tolerance
	Watt	U KV dc	1 ... 10 %	0,5 ... 10 %	0,25 ... 10 %	0,1 ... 5 %
			TC ppm/°C	TC ppm/°C	TC ppm/°C	TC ppm/°C
968.2	3,8	12	200	100	50	25, 15
968.2			400 R ... 10 G	400 R ... 1 G	400 R ... 1 G	60 K ... 500 M
968.3	5,0	18	500 R ... 15 G	500 R ... 1,5 G	500 R ... 1,5 G	80 K ... 750 M
968.5	7,5	24	900 R ... 20 G	900 R ... 2 G	900 R ... 2 G M	120 K ... 1 G
968.7	10,0	36	1,2 K ... 30 G	1,2 K ... 3 G	1,2 K ... 3 G	180 K ... 1,5 G
968.10	12,5	60	1,7 K ... 30 G	1,7 K ... 3 G	1,7 K ... 3 G	240 K ... 2 G
968.12	15,0	75	2,6 K ... 30 G	2,6 K ... 5 G	2,6 K ... 3 G	300 K ... 2 G
968.15	17,0	90	3,2 K ... 30 G	3,2 K ... 6 G	3,2 K ... 3 G	350 K ... 2 G

Specifications subject to change without notice

Resenzo AG

Bahnhofstrasse 87

CH-3232 Ins

Tel. +41 (0) 32 313 75 30

Fax. +41 (0) 32 313 75 31

info@resenzo.ch


www.resenzo.ch

RESENZO

Sensoren und industrielle Regelungstechnik


High Voltage Resistor
„Precision“

HVR 968




Dimensions (mm)

Type	L	Ø
968.2	27,0	8
968.3	37,0	8
968.5	52,0	8
968.7	78,0	8
968.10	103,0	8
968.12	123,0	8
968.12	128,0	8
968.15	153,0	8



Diagram



How to order

Type	R-Value	R-Tolerance	TC
968.2	2 0 M	0 , 5 %	50 ppm/°C

Resenso AG

Bahnhofstrasse 87

CH-3232 Ins

Tel. +41 (0) 32 313 75 30

Fax. +41 (0) 32 313 75 31

info@resenso.ch

www.resenso.ch